

Display Energy Certificate

Northern Ireland

How efficiently is this building being used?

NI Assembly
Northern Ireland Assembly
Parliament Buildings,
BELFAST
BT4 3SY

Certificate Reference Number:
0696-2250-5410-2000-6403

This certificate indicates how much energy is being used to operate this building. The operational rating is based on meter readings of all the energy actually used in the building. It is compared to a benchmark that represents performance indicative of all buildings of this type. There is more advice on how to interpret this information on the Government's website www.dfpni.gov.uk.

Energy Performance Operational Rating

This tells you how efficiently energy has been used in the building. The numbers do not represent actual units of energy consumed; they represent comparative energy efficiency. 100 would be typical for this kind of building.

More energy efficient

A 0-25

B 26-50

C 51-75

D 76-100

◀ 99

..... 100 would be typical

E 101-125


F 126-150

G Over 150

Less energy efficient


Total CO₂ Emissions

This tells you how much carbon dioxide the building emits. It shows tonnes per year of CO₂.



Previous Operational Ratings

This tells you how efficiently energy has been used in this building over the last three accounting periods.



Technical Information

This tells you technical information about how energy is used in this building. Consumption data based on actual meter readings.

Main heating fuel: Natural Gas

Building environment: Heating and Mechanical Ventilation

Total useful floor area (m²): 24440

Asset Rating: Not available

	Heating	Electricity
Annual Energy Use (kWh/m ² /year)	122	97
Typical Energy Use (kWh/m ² /year)	133	95
Energy from renewables	0%	0%

Administrative Information

This is a Display Energy Certificate as defined in NI SR2008/170 as amended.

Assessment Software: DCLG, ORCalc, v3.6.2
Property Reference: 665062400000
Assessor Name: David McIntyre
Assessor Number: STRO000589
Accreditation Scheme: Stroma Certification Ltd
Employer/Trading Name: Department of Finance and Personnel
Employer/Trading Address: Energy Unit EU, Level 4, Causeway Exchange, 1-7 Bedford Street, BT2 7EG
Issue Date: 22-05-2014
Nominated Date: 06-01-2014
Valid Until: 05-01-2015
Related Party Disclosure: Contractor to the occupier for EPBD services only.

Recommendations for improving the energy efficiency of the building are contained in the accompanying Advisory Report.